

UNIVERSITY "GOCE DELCEV" - STIP, R.MACEDONIA
FACULTY OF MEDICAL SCIENCES, DENTAL MEDICINE
DEPARTMENT OF ORAL AND MAXILOFACIAL SURGERY AND DENTAL IMPLANTOLOGY



DENTAL CLINIC "DENT ESTET" - STIP
PAPAKOCA IMPLANT DENTISTRY CENTER

THE IMPORTANCE OF THE CONNECTION BETWEEN THE DENTAL IMPLANT AND PROSTHETIC CONSTRUCTION

ASS. PROF. DR. KIRO PAPAKOCA PHD

WWW.UGD.EDU.MK WWW.DENT-ESTET.COM

KIRO.PAPAKOCA@UGD.EDU.MK KIRO.DENTESTET@GMAIL.COM



Prof.ass. D-r Kiro Papakoca



WORK EXPERIENCE

“ Goce Delcev” - University of Shtip, Faculty of Medical Sciences, Dental Medicine

➤ **2008 – 2011** **Younger Assistant**

➤ **2011 – 2014** **Assistant**

➤ **2014 – present** **Profesor Assistant**

➤ **2012- PhD in Medicine** -*Carol Davila* University of Medicine and Pharmacy, Bucharest, Romania

➤ **2006 - Oral Surgeon (OS)** -Ministry of Health, Romania

➤ **2003 - Doctor of Dental Medicine (BDS/DMD)** - *Carol Davila* University of Medicine and Pharmacy, Bucharest, Romania

имплантологија



врската помеѓу имплантот и протетската конструкција

**THE IMPORTANCE OF THE CONNECTION BETWEEN THE
DENTAL IMPLANT AND PROSTHETIC CONSTRUCTION**

ключ за успехот е:



- примена на современ имплантолошки систем
- примена на современи апарати и инструменти во услови за орална хирургија
- примена на современи дијагностички процедури
- примена на современи протоколи за протетска реставрација
- ... се ... баш се ...

зошто е значајно поврзувањето помеѓу имплантот и протетската конструкција

- биомеханика - цвакална функција

type of modern implants

- bone level implants
- tissue level implants






- do not use implants from the 1st generation
- there is temporary solution



SCREW RETAINED VERSUS CEMENTED RETAINED





**каде е присутно
КОНИЧНОТО поврзување**





**ШТО СЕ СЛУЧУВА ВО
МОМЕНТОТ КОГА:**

НЕМАМЕ КОНИЧНА КОНЕКЦИЈА

**ШТО СЕ СЛУЧУВА ВО
МОМЕНТОТ КОГА:**

ИМАМЕ КОНИЧНА КОНЕКЦИЈА





лабораториски анализи

светлосен микроскоп
електронски микроскоп



TAKE HOMME MESSAGES:

- протетската конструкција може да биде направена во следните насоки:
- - со примена на гингивоформери а потоа абатмени и протетска конструкција
- - со примена на поврзувачки компоненти - бочна регија - multibase - multiunits, во фронтална регија - connection

- најдобра врска помеѓу имплантот и поврзувачот со протетската конструкција се остварува преку конична врска.